

# Product datasheet

Specifications



## Handle locking and rods for PLA height 750 - Ral 7035

NSYVPLA7MG

EAN Code: 3606485422701

### Main

Range	Thalassa
Product or component type	Locking kit

### Complementary

accessory / separate part category	Locking accessory
accessory / separate part type	Locking system
Device application	Multi-purpose
Mounting support	Direct mounting on door
Range compatibility	Thalassa Thalassa PLA
Device composition	1 shape insert 1 cam 1 handle 1 locking bar 1 fixing elements
Material	Handle: polyamide Shape insert: zamak
lock type	2 points lock, 5 mm double-bar

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	76.0 cm
Package 1 Width	8.0 cm
Package 1 Length	8.0 cm
Package 1 Weight	512.0 g

### Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations

Image of product in real life situation

