Specifications



Panel mounted USB 3.0 port, plastic, Ø22, for USB interface jack type A

XB5PUSB3

EAN Code: 3606481194206

Main

range of product	Harmony XB5
product or component type	Panel mounted USB port
Device short name	XB5P

Complementary

Sale per indivisible quantity	1
Mounting diameter	22 mm
Thickness	6 mm without protection cover 1.55 mm with protection cover plastic 1.55 mm with protection cover rigid plastic 1.52.5 mm with protection cover metal
Bezel material	Plastic
Fixing collar material	Plastic
Integrated connection type	USB 3.0 type A
Minimum number of matings	1500 cycles
IP degree of protection	IP20 front: conforming to IEC 60529 IP20 back: conforming to IEC 60529
Ambient air temperature for operation	-4070 °C
Ambient air temperature for storage	-4070 °C
Tightening torque	1.5 N.m
Vibration resistance	5.35 gn15 min per axis
Shock resistance	30 gn 11 ms 3 chocks in each direction X, Y and Z
Standards	USB 3.0
Product certifications	CSA UL listed
Height	28 mm
Width	28 mm
Depth	44 mm
net weight	0.0169 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.200 cm

Life Is On Schneider

Package 1 Length8.600 cmPackage 1 Weight15.000 gUnit Type of Package 2S02Number of Units in Package 2100Package 2 Height15.000 cmPackage 2 Width30.000 cmPackage 2 Length40.000 cm		
Package 1 Weight15.000 gUnit Type of Package 2S02Number of Units in Package 2100Package 2 Height15.000 cmPackage 2 Width30.000 cmPackage 2 Length40.000 cm	Package 1 Width	5.000 cm
Unit Type of Package 2 S02 Number of Units in Package 2 100 Package 2 Height 15.000 cm Package 2 Width 30.000 cm Package 2 Length 40.000 cm	Package 1 Length	8.600 cm
Number of Units in Package 2 100 Package 2 Height 15.000 cm Package 2 Width 30.000 cm Package 2 Length 40.000 cm	Package 1 Weight	15.000 g
Package 2 Height 15.000 cm Package 2 Width 30.000 cm Package 2 Length 40.000 cm	Unit Type of Package 2	S02
Package 2 Width 30.000 cm Package 2 Length 40.000 cm	Number of Units in Package 2	100
Package 2 Length 40.000 cm	Package 2 Height	15.000 cm
	Package 2 Width	30.000 cm
Package 2 Weight 1.840 kg	Package 2 Length	40.000 cm
	Package 2 Weight	1.840 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >


Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
V Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Dimensions



Product datasheet

Image of product / Alternate images

Alternative

